



ERA CoBioTech


BIO TECH RESEARCH AND INNOVATION HACK 2021

Kick Off of the 3. call projects of ERA CoBioTech

Engineering microbial communities for the conversion
of lignocellulose into medium-chain carboxylates


Project acronym: Cell4Chem

Heike Sträuber




This project has received funding from the European Union's Horizon
2020 research and innovation programme under grant 722361

27.09.2021




- Dr. Heike Sträuber – Helmholtz Centre for Environmental Research – UFZ, Leipzig, Germany
- Prof. Aleš Berlec – Jožef Stefan Institute (JSI), Ljubljana, Slovenia
- Dr. Stéphanie Perret – CNRS-LCB (Laboratoire de Chimie Bactérienne, UMR 7283), Marseille, France
- Prof. Daniel Machado – NTNU – Norwegian University of Science and Technology, Trondheim, Norway
- Prof. Marta Carballa – University of Santiago de Compostela (USC), Spain
- Markus Huth – BlueMethano GmbH, Berlin, Germany
- Total project budget: 2,437,000 € (thereof 2,073,000 € funding)
- Project start and end: 01 June 2021 – 31 May 2024






- The power of microbial communities in a sustainable, circular biobased economy
- Project aims:
 - ✓ Providing tools and strategies to unlock the full potential of microbial communities
 - ✓ Enabling conversion processes that result in high-value products from sustainable feedstocks
- Anaerobic fermentation for production of medium-chain carboxylates (MCC) from lignocellulose – expanding the applicability of the carboxylate platform





- Caproate and caprylate, a wide range of applications ...



Feed additives



Lubricants



Specialty chemicals



Bio-plastics




Detergents





Pharmaceutical products

- State of the art production: extraction from palm kernel and coconut oil







Anaerobic fermentation for MCC production







Anaerobic fermentation for MCC production






- Synthetic Biology approach
- Tackling the bottlenecks cellulose hydrolysis and lactate production
- Target strains: *Lactococcus lactis* and *Ruminiclostridium cellulolyticum*




Strategies for genetic engineering of:



- ✓ *L. lactis* to enable cellulose utilization and increase lactate production
- ✓ *R. cellulolyticum* to provide cellulose degradation products to *L. lactis*



- Cultivation of bacterial consortia with defined composition
- Comparison of consortia with and without GMO
- Application of enrichment cultures
- Artificial substrates and real biomass



- Synthetic Biology approach
- Tackling the bottlenecks cellulose hydrolysis and lactate production
- Target strains: *Lactococcus lactis* and *Ruminiclostridium cellulolyticum*



Genetically modified strains:

- 1* *L. lactis**
- 2* *R. cellulolyticum**


Wildtype strains (wt.) and enrichment cultures (EC):

- 1 LAB (e.g. *L. lactis* wt.)
- 2 *R. cellulolyticum* wt. / Cellulose-EC
- 3 Xylan-EC
- 4 *Clostridia* sp. (isolate)


Metabolic functions:

- Cellulose hydrolysis
- Hemicellulose hydrolysis
- Lactate formation
- Chain elongation

- Increasing community and substrate complexity
- Competitiveness of pure strains and functional groups under sterile and unsterile conditions
- Metabolic performance and stability in batch and continuous systems




- Cultivation of bacterial consortia with defined composition
- Comparison of consortia with and without GMO
- Application of enrichment cultures
- Artificial substrates and real biomass






- Synthetic Biology approach
- Tackling the bottlenecks cellulose hydrolysis and lactate production
- Target strains: *Lactococcus lactis* and *Ruminiclostridium cellulolyticum*

- Identification of the best operational strategies for steering anaerobic fermentation towards MCC production
- Upscaling



- Upscaling in ensiling and MCC production up to L/kg scale
- Mode of operation (CSTR, SBR), pH, substrate ratio
- Adaptation and optimization of process conditions to support desired functional groups/pure strains such as lactic acid bacteria





Genetically modified bacteria

Three engineering levels


Constructed consortia

Process engineering


Structure and function of the consortia

- T-RFLP and amplicon sequencing
- Genomes of consortia members reconstructed from metagenomes
- Activity analysis by meta-proteomics
- Bioinformatic tools for analyzing meta-omics data



- Who is there, in which proportion, dynamics?
- Can GMOs establish in the consortia?
- Metabolic potential of the consortia and the individual strains
- Which pathways are active under which conditions?




Modeling



- Systems Biology approach
- Modeling bacterial consortia by combining genome-scale metabolic modeling and meta-omics integration
- Simulation of cross-feeding interactions
- Identification of potential bottlenecks
- Guiding design of optimal bacterial consortia






Communication and dissemination


- Key and local stakeholders
- Facilitating the exchange of knowledge between Cell4Chem, students, the broader public and stakeholders
- Dissemination of project results and communication of the project and its relevance

Responsible Research and Innovation (RRI)


- Identification of practical and socioeconomic barriers and opportunities for different societal levels
- Modular online surveys to estimate the acceptance of the technology and gather opinions and expectations of the society
- Perspectives of different cultural areas (partner countries)
- Perspectives of different societal groups: population and stakeholders (completely anonymous)
- Comparison of „informed“ and „uninformed“ people, countries and societal groups
- Derive instruments for improving acceptance and communication



- Applicability of anaerobic fermentation for the production of medium-chain fatty acids is limited to specific substrates
- Exploitation of lignocellulosic substrates for MCC production would greatly promote this technology and enhance its operative range
- Exploitation of the strains (cultures), processes and methods developed in Cell4Chem will be studied
- Outlook: process development incl. downstream processing, economic evaluation, etc.
- Adaptation of the developed tools to other community-driven bio-processes



- Anaerobic fermentation of lignocellulose for the production of medium-chain carboxylates is associated with two bottlenecks, i.e.
 - ✓ Slow cellulose hydrolysis
 - ✓ Lack of electron donors for microbial chain elongation
- Addressing these challenges through
 - ✓ Metabolic engineering of bacterial strains to create specialists
 - ✓ Construction of bacterial consortia
 - ✓ Optimization of process conditions and upscaling
 - ✓ Analysis of metabolic networks in the consortia
 - ✓ Modeling of the consortia for guiding their design
- Identification of practical and socioeconomic barriers and opportunities for different societal levels



Thank you very much for your attention!

Contact us at Cell4Chem@ufz.de



REPUBLIC OF SLOVENIA
MINISTRY OF EDUCATION,
SCIENCE AND SPORT